


CMPT 120: Introduction to Computing Science and Programming 1

Control Structures: Loops



python™

Copyright © 2018, Liaqat Ali. Based on [CMPT 120 Study Guide](#) and [Think Python - How to Think Like a Computer Scientist](#), mainly. Some content may have been adapted from earlier course offerings by Diana Cukierman, Anne Lavergn, and Angelica Lim. Copyrights © to respective instructors. Icons copyright © to their respective owners.

Reminders

Liaqat Ali, Summer 2018.

One-Stop Access To Course Information

- **Course website**: One-stop access to all course information.

<http://www2.cs.sfu.ca/CourseCentral/120/liaqata/WebSite/index.html>

- Course Outline
- Exam Schedule
- Python Info
- **CourSys/Canvas** link
- Learning Outcomes
- Office Hours
- Textbook links
- and more...
- Grading Scheme
- Lab/Tutorial Info
- Assignments

- **Canvas**: Discussions forum - <https://canvas.sfu.ca/courses/39187>

- **CourSys**: Assignments submission, grades - www.coursys.sfu.ca

How to Learn in This Course?



- A** **Attend** Lectures & Labs
- R** **Read** / review Textbook/Slides/Notes
- R** **Reflect** and ask Questions
- O** **Organize** – your learning activities on weekly basis,
and finally...
- W** **Write** Code, **Write Code**, and **Write Code**.

Deliverables

1. Deliverables are due by the given date and time.
2. For the course, we are using IDLE to write and run our Python code.
3. You can use the CSIL lab computers outside your lab hours.
4. Plan ahead your assignments and other deliverables. Computer crash, network problems etc. are not acceptable excuses for delays in deliverables.
5. You may use online Python interpreters for running and testing your codes, such as:

<https://repl.it/languages/Python3>

Labs

1. Each lab has an assigned TA.
2. Attend your assigned lab and show your work to your TA for the participation marks.
3. Class enrolments and lab swaps are closed now.

Course Topics

1. General introduction
2. Algorithms, flow charts and pseudocode
3. Procedural programming in Python
4. **Data types and Control Structures**
5. Fundamental algorithms
6. Binary encodings
7. Basics of computability and complexity
8. Basics of Recursion
9. Subject to time availability:
 - Basics of Data File management

Today's Topics

1. Introduction to Loops: Repetition Structures
 - a. The `for` Loop: a Count-Controlled Loop
 - b. `continue` & `break`
 - c. The `while` Loop: a Condition-Controlled Loop
2. In-Class Coding Practice
3. Sentinels
4. Input Validation Loops
5. Nested Loops


1

Introduction to Loops: Repetition Structures - while

The **while** Loop: Condition-Controlled Loop

- **Condition-Controlled loop:** _____

 - General format: **while condition:**
statements
- The loop executes while the _____ is **true**.
- Based on the result of the _____, statements inside the loop may get executed:
 - _____ time, or
 - _____ time, or
 - _____ number of times.
- We refer to the first line as the **while clause**.



The **while** Loop: Condition-Controlled Loop

- The loop begins:
 1. while it is set as _____.
 2. or, the result of the condition (Boolean expression) is _____.
 - *We would Use the condition method most often.*
- For a loop _____, something **MUST** happen inside the loop to **makes the condition false**.
 - Else, the loop would run indefinitely.

Example 1:

Example 2:

Count-Controlled Loop: How to Control Execution

1. You may define a variable to control the starting and ending points of the while loop. (Choose any variable name.)
2. Assign the variable a value .
 - The value should set the while condition true, initially. For example:

```

_____ ,or
_____ , or
_____ etc.
  
```

3. Use the variable to define the while condition, so that it may become true to enter the loop.

```

_____ : ,or
_____ : ,or
_____ :
  
```

4. Inside the loop, add code to change the value of the variable to make the condition false at some point.
 - For example: when the count is reached, or
 - when the user enter X to exit.
 - You might need the **if** statement.

Condition-Controlled Loop: Example 1

```
num_list = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10]
```

```
for num in num_list:  
    print(num)
```

```
num_list = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10]
```

Or,

Condition-Controlled Loop: Example

```
frnd_list = ['Tiffany','Jiawei','Wenzhao',  
'Ping-Chieh','Mitchell','Cole ']
```

```
frnd_list = ['Tiffany','Jiawei','Wenzhao', 'Ping-  
Chieh','Mitchell','Cole ']
```

```
for friend in frnd_list:
```

```
    invite = "Hi " + friend + ". You are invited!"
```

```
    print(invite)
```

```
Hi Tiffany. You are invited!  
Hi Jiawei. You are invited!  
Hi Wenzhao. You are invited!  
Hi Ping-Chieh. You are invited!  
Hi Mitchell. You are invited!  
Hi Cole . You are invited!
```

2

In-Class Coding Practice

Count-Controlled Loop: Practice

1. Write a python program to print even numbers from 1 and 10.
2. Write a python program to print odd numbers from 1 and 10.

Count-Controlled Loop: break & continue

1. With the **break** statement we can stop the loop before it has looped through all the items.
2. With the **continue** statement we can stop the current iteration of the loop, and continue with the next.

```
1  
2  
3  
4  
5
```

```
1  
2  
3  
4  
5  
7  
8  
9  
10
```

Augmented Assignment Operators (Shorthand Operators)

- In many assignment statements, the variable on the **left side** of the **=** operator also appears on the **right side** of the = operator.
-
- **Augmented Assignment Operators**: Special set of shorthand operators designed to use in assignment statements where a variable appears on the both sides of the equal sign.

Augmented Assignment Operators (Shorthand Operators)

Shorthand Op.	Usage	Equivalent
---------------	-------	------------

Class Participation: Printing Tables

- Write a Python program to print a multiplication table using a **while** loop and upload on Canvas by tonight 11:59pm.
- Take input a number from the user.
- Use the **for** loop to print a multiplication table of the number user entered.
- If user enters 6, then the program output should be as shown on the right.
- You may add comments and appropriate headings.

```
6 x 1 = 6
6 x 2 = 12
6 x 3 = 18
6 x 4 = 24
6 x 5 = 30
6 x 6 = 36
6 x 7 = 42
6 x 8 = 48
6 x 9 = 54
6 x 10 = 60
```



Questions?