

Arrays

Arrays

- One variable that can hold multiple values.
- Limitations:
 - length must be set when declared & can't change
 - can only hold a single type
- that is...
 - can't lengthen an array mid-program
 - can't store an `int` and `String` in the same array

Declaring an Array

- Arrays are objects in Java
 - ie. require the declare reference, new object syntax
- To create a pointer to an array, append [] to the type
 - eg. for type int:

```
int [] myArray;
```
- Like other reference declarations, this just creates reference, not object.

Array Objects

- To allocate the memory for the array:


- eg. create array of 100 ints:

```
new int[100]
```

- All at once:

```
int[] myArray = new int[100];
```

- Creates this:



Array Elements

- The square brackets are used to subscript.

- eg.

```
int[] myArray = new int[100];  
myArray[0] = 2;  
myArray[4] = myArray[0] + 1;  
System.out.println(myArray[4]);  
    // prints 3  
myArray[99] = 2;    // ok  
myArray[100] = 2;   // error
```

Searching

Searching

- Common problem: find an item in an array
 - find exact match/find item that contains
 - return position/return element

Linear Search

- In general, we have to go through every element in the array.

- Pseudocode:

for i from 0 to $length-1$:

 if $array[i] == target$:

 return i

return -1 // not in array, -1 will indicate that.

- Java implementation in text

Properties

- Will work on any array
 - searches every element: will find the target if it's there.
- Slow
 - searches every element
 - might not be necessary in some arrays

Binary Search

- Suppose a sorted array.
 - then, we can avoid looking at every item.
 - eg.

-2	-1	8	14	17	23	29	37	74	75	81	87	95
----	----	---	----	----	----	----	----	----	----	----	----	----

- We are looking for 17 in this array.
- Half the array can quickly be eliminated:
 - Look in middle: 29
 - Can ignore second half of array.

Details

- Keep track of the “candidate” part of the array.
 - Look at the middle of the candidate part.
 - Found it: done!
 - Not found: throw away one half.
- eg.

-2	-1	8	14	17	23	29	37	74	75	81	87	95
-2	-1	8	14	17	23	29	37	74	75	81	87	95
-2	-1	8	14	17	23	29	37	74	75	81	87	95

Pseudocode

```
first = 0          // start of candidate array
last = length-1  // end of candidate array
while first ≤ last:
    mid = (first + last)/2
    if array[mid] = target: return mid
    else if array[mid] < target: first = mid + 1
    else if array[mid] > target: last = mid - 1
return -1 // not in array
```

Example, again

first = 0 last = 12 mid = 6

0	1	2	3	4	5	6	7	8	9	10	11	12
-2	-1	8	14	17	23	29	37	74	75	81	87	95

first = 0 last = 5 mid = 2

0	1	2	3	4	5	6	7	8	9	10	11	12
-2	-1	8	14	17	23	29	37	74	75	81	87	95

first = 3 last = 5 mid = 4

0	1	2	3	4	5	6	7	8	9	10	11	12
-2	-1	8	14	17	23	29	37	74	75	81	87	95

return 4

Speed

- binary search
 - example took 3 steps
 - worst case: 4 ($\approx \log_2 n$)
- linear search
 - worst case: 13 ($= n$)
- binary search is **much** faster for large arrays.
 - ... if it can be used: only works on sorted arrays