


INTELLIGENT AGENTS

CHAPTER 2

Vacuum-cleaner world



Percepts: location and contents, e.g., $[A, Dirty]$

Actions: *Left, Right, Suck, NoOp*

Chapter 2 1

Chapter 2 4

Outline

- ◇ Agents and environments
- ◇ Rationality
- ◇ PEAS (Performance measure, Environment, Actuators, Sensors)
- ◇ Environment types
- ◇ Agent types


A vacuum-cleaner agent

Percept sequence	Action
$[A, Clean]$	
$[A, Dirty]$	
$[B, Clean]$	
$[B, Dirty]$	
$[A, Clean], [A, Clean]$	
$[A, Clean], [A, Dirty]$	
\vdots	

Chapter 2 2

Chapter 2 5

Agents and environments



Agents include humans, robots, softbots, thermostats, etc.

The **agent function** maps from percept histories to actions:

$$f : \mathcal{P}^* \rightarrow \mathcal{A}$$

The **agent program** runs on the physical **architecture** to produce f

A vacuum-cleaner agent

Percept sequence	Action
$[A, Clean]$	<i>Right</i>
$[A, Dirty]$	<i>Suck</i>
$[B, Clean]$	<i>Left</i>
$[B, Dirty]$	<i>Suck</i>
$[A, Clean], [A, Clean]$	<i>Right</i>
$[A, Clean], [A, Dirty]$	<i>Suck</i>
\vdots	\vdots

function REFLEX-VACUUM-AGENT($\{location, status\}$) **returns** an action

```

if  $status = Dirty$  then return Suck
else if  $location = A$  then return Right
else if  $location = B$  then return Left
    
```

What is the **right** function?

Can it be implemented in a small agent program?

Chapter 2 3

Chapter 2 6

Rationality

Fixed performance measure evaluates the environment sequence

- one point per square cleaned up in time T ?

Chapter 2 7

Rationality

Fixed performance measure evaluates the environment sequence

- one point per square cleaned up in time T ?
- one point per clean square per time step, minus one per move?
- penalize for $> k$ dirty squares?

A rational agent chooses whichever action maximizes the expected value of the performance measure given the percept sequence to date

Rational \neq omniscient

- percepts may not supply all relevant information

Rational \neq clairvoyant

- action outcomes may not be as expected

Hence, rational \neq successful

Rational \Rightarrow exploration, learning, autonomy

Chapter 2 10

Rationality

Fixed performance measure evaluates the environment sequence

- one point per square cleaned up in time T ?
- one point per clean square per time step, minus one per move?

Chapter 2 8

PEAS

To design a rational agent, we must specify the task environment

Consider, e.g., the task of designing an automated taxi:

Performance measure??

Environment??

Actuators??

Sensors??

Chapter 2 11

Rationality

Fixed performance measure evaluates the environment sequence

- one point per square cleaned up in time T ?
- one point per clean square per time step, minus one per move?
- penalize for $> k$ dirty squares?

Chapter 2 9

PEAS

To design a rational agent, we must specify the task environment

Consider, e.g., the task of designing an automated taxi:

Performance measure?? safety, destination, profits, legality, comfort, ...

Environment?? streets in Lower Mainland, traffic, pedestrians, weather, ...

Actuators?? steering, accelerator, brake, horn, speaker/display, ...

Sensors?? video, accelerometers, gauges, engine sensors, keyboard, GPS, ...

Chapter 2 12

Internet shopping agent

[Performance measure??](#)

[Environment??](#)

[Actuators??](#)

[Sensors??](#)

Chapter 2 13

Environment types

	8-Puzzle	Backgammon	Internet shopping	Taxi
Observable??	Yes	Yes	No	No
Deterministic??				

Chapter 2 16

Internet shopping agent

[Performance measure??](#) price, quality, appropriateness, efficiency

[Environment??](#) current and future WWW sites, vendors, shippers

[Actuators??](#) display to user, follow URL, fill in form

[Sensors??](#) HTML pages (text, graphics, scripts)

Chapter 2 14

Environment types

	8-Puzzle	Backgammon	Internet shopping	Taxi
Observable??	Yes	Yes	No	No
Deterministic??	Yes	No	Partly	No
Episodic??				

Chapter 2 17

Environment types

	8-Puzzle	Backgammon	Internet shopping	Taxi
Observable??				

Chapter 2 15

Environment types

	8-Puzzle	Backgammon	Internet shopping	Taxi
Observable??	Yes	Yes	No	No
Deterministic??	Yes	No	Partly	No
Episodic??	No	No	No	No
Static??				

Chapter 2 18

Environment types

	8-Puzzle	Backgammon	Internet shopping	Taxi
Observable??	Yes	Yes	No	No
Deterministic??	Yes	No	Partly	No
Episodic??	No	No	No	No
Static??	Yes	Yes	Semi	No
Discrete??				

Agent types

Four basic types in order of increasing generality:


- simple reflex agents
- reflex agents with state
- goal-based agents
- utility-based agents

All these can be turned into learning agents

Environment types

	8-Puzzle	Backgammon	Internet shopping	Taxi
Observable??	Yes	Yes	No	No
Deterministic??	Yes	No	Partly	No
Episodic??	No	No	No	No
Static??	Yes	Yes	Semi	No
Discrete??	Yes	Yes	Yes	No
Single-agent??				

Simple reflex agents



Environment types

	8-Puzzle	Backgammon	Internet shopping	Taxi
Observable??	Yes	Yes	No	No
Deterministic??	Yes	No	Partly	No
Episodic??	No	No	No	No
Static??	Yes	Yes	Semi	No
Discrete??	Yes	Yes	Yes	No
Single-agent??	Yes	No	Yes (except auctions)	No



Example

```

function REFLEX-VACUUM-AGENT([location,status]) returns an action
    if status = Dirty then return Suck
    else if location = A then return Right
    else if location = B then return Left
    
```

The environment type largely determines the agent design



The real world is (of course) partially observable, stochastic, sequential, dynamic, continuous, multi-agent



Example

```

function REFLEX-VACUUM-AGENT([location,status]) returns an action
static: last_A, last_B, numbers, initially ∞
  if status = Dirty then ...
  
```



Summary

Agents interact with environments through actuators and sensors

The agent function describes what the agent does in all circumstances

The performance measure evaluates the environment sequence

A perfectly rational agent maximizes expected performance

Agent programs implement (some) agent functions

PEAS descriptions define task environments

Environments are categorized along several dimensions:
 observable? deterministic? episodic? static? discrete? single-agent?

Several basic agent architectures exist:
 reflex, reflex with state, goal-based, utility-based